



CONVENTION AND VISITORS AUTHORITY

LVCVA POLICY ON HALOGEN LIGHTING

In a move to ensure the safety of building customers at the Las Vegas Convention Center, the LVCVA has placed a ban on certain halogen lamps. Halogen lamps are limited to 75 watts and must be of the sealed variety, which prevents direct handling of the bulb. The ban became effective January 1, 2003.

Why is LVCVA Restricting the Use of Halogen Lighting?

LVCVA has experienced several fire safety incidents arising from the use of stem and track mounted halogen light fixtures attached to exhibit booths and where the fixtures utilize linear halogen bulbs. Typically these hazards arise from misuse and poor maintenance practices, rather than from any deficiency in the design of the fixture or the halogen bulb it contains.

Misuse encountered by the LVCVA has included failure to correctly install the fixtures in a secure fashion and failure to ensure that fixtures are not in close proximity to drapes, displayed items, or similar flammable material.

Poor maintenance includes replacing bulbs with higher wattages than the permitted maximum marked on the fixture, failure to replace lenses or shields after re-lamping, failure to follow lamp manufacturer's instructions concerning direct contact with the bulb, and replacement of broken lenses and other components with sub-standard, non-approved parts. These practices are not within the ability of LVCVA or the equipment manufacturer/distributor to supervise, and may result in safety risks.

What Halogen Lighting is Covered by this Policy?

This policy covers only certain restrictions on stem and track mounted halogen lighting installed by display contractors and exhibitors for the temporary lighting of exhibit booths. Stem mounted fixtures employ an arm that extends outward from the mounting mechanism, and which is typically terminated in a light head that pivots, swivels, or is otherwise movable. The use of stem and track mounted halogen or other fixtures employing either a linear halogen bulb (Fig. 1) or a non-shielded halogen bulb (Fig. 2) is not allowed.

What Halogen Lighting is NOT Covered by this Policy?

Halogen bulbs or lighting fixtures (including track lighting) containing halogen bulbs that are being displayed or demonstrated as part of an exhibiting company's product line or

business in its booth, and lighting equipment used for ~~any~~ theater, stage, or studio productions. Note: Theatrical, stage, or studio lighting utilizing linear or non-shielded halogen bulbs may not be used as booth lighting.

In addition, conventional track lighting systems that use any of the approved types of halogen bulbs and that are securely mounted to stable exhibit structures will continue to be allowed.

How do the Restrictions Affect Stem Mounted Halogen Light Fixtures?

Unless otherwise stated in this policy, stem or track mounted halogen light fixtures installed in LVCVA facilities must:

1. Utilize one of the halogen bulb styles shown in Fig.3. These bulbs have an additional glass shield that is integral with the bulb design, and require no other shield as part of the light fixture.
2. Utilize a bulb not exceeding the listed wattage permitted for use by the fixture manufacturer, but in no case exceeding 75 watts.

Alternative Designs

The LVCVA will periodically review this policy, and take into consideration any improvements in products and practices that provide appropriate levels of operational safety.

DISAPPROVED HALOGEN BULBS



Fig. 1. Linear Bulbs



MR 11/16 Uncovered



Line Voltage



Low Voltage Bi-Pin

Fig. 2 Non-Shielded Bulbs

APPROVED HALOGEN BULBS – 75watts max



MR 11/16 Covered – low voltage



MR 16 Covered – line voltage



PAR 14, 16, 20, 30, and 38

Figure 3. Self-Shielded Bulbs